

SRK 250 R



SPECIFICATIONS

TYPE	SINGLE CYLINDER, 4-VALVE, DOHC, LIQUID-COOLED
BORE X STROKE (MM)	72.0 X 61.2
DISPLACEMENT (CC)	249
MAX. POWER	20.5KW @ 9,500RPM
MAX. TORQUE	22.5NM @ 7,250RPM
FUEL SYSTEM	EFI
STARTING SYSTEM	ELECTRIC
CLUTCH	MANUAL, WET, MULTI-PLATE
TRANSMISSION	6-GEAR, CHAIN
FRONT SUSPENSION	TELESCOPIC UPSIDE DOWN
REAR SUSPENSION	ADJUSTABLE MONOSHOCK
FRONT TYRE	110/70-R17
REAR TYRE	140/60-R17
FRONT BRAKE	300MM, HYDRAULIC DISC, ABS
REAR BRAKE	240MM, HYDRAULIC DISC, ABS
L X W X H (MM)	2,010 X 770 X 1,125
WHEELBASE (MM)	1,360
SEAT HEIGHT (MM)	780
GROUND CLEARANCE (MM)	135
CURB WEIGHT (KG)	162
FUEL TANK CAPACITY (L)	12.5

COLOUR OPTIONS



BLACK



BLUE



RED

Distributed by




MFORCE BIKE HOLDINGS SDN. BHD.(751410-H)

1485, Jalan Seruling, Kawasan Perindustrian Valdor, 14200 Sungai Jawi, Pulau Pinang, Malaysia.
Tel: 604-545 2222 | Fax: 604-545 2288 | Email: help@mforce.my


**Specifications and features are subject to change without prior notice.*

SRK 250 R



ENGINE 249CC, SINGLE CYLINDER, 4-VALVE, DOHC, LIQUID-COOLED


MAXIMUM POWER: 20.5KW @ 9,500RPM
MAXIMUM TORQUE: 22.5NM @ 7,250RPM



DUAL CHANNEL ABS

FRONT BRAKE: 300MM, HYDRAULIC DISC
REAR BRAKE: 240MM, HYDRAULIC DISC

SRK 250 R



TELESCOPIC UPSIDE DOWN FRONT FORKS
SHARPER HANDLING. SMOOTHER RIDE.



ADJUSTABLE MONOSHOCK
SMOOTHES EVERY BUMP FOR A SAFER,
MORE COMFORTABLE RIDE.



ALUMINIUM SWINGARM
IMPROVES CORNERING PRECISION AND RESPONSIVENESS.



FUEL TANK CAPACITY 12.5-LITRE
PERFECT FOR LONG-HAUL RIDES WITH MINIMAL
REFUELING INTERRUPTIONS.



COLOUR DIGITAL PANEL METER
AT A GLANCE MONITORING WITH VIBRANT COLOURS
AND A SLEEK, MODERN DESIGN.



LED HEADLIGHTS
CASTS A WIDE, EVEN BEAM TO ENHANCE
SIDE-ROAD VISIBILITY.

SRK 250 R




BRIGHT AND STYLISH LED TAIL LIGHT
ENHANCES VISIBILITY NO MATTER THE WEATHER.



HAZARD BUTTON
ONE PUSH IN ANY EMERGENCY.



BRAKE CLUTCH
ENGAGES OR DISENGAGES ENGINE POWER
FOR SMOOTH GEAR SHIFTS.



DUAL USB PORT CHARGER
ALL-IN-ONE ON-THE-GO CHARGING
(TYPE-A & TYPE-C PORTS.)



WINDSHIELD
SHIELDS RIDER FROM WIND, DEBRIS AND DAMAGE.



DUAL-STEPPED SEAT
PROVIDES ERGONOMIC POSITIONING TO
REDUCE FATIGUE ON LONG RIDES.