

NAGA 155

SPECIFICATIONS

TYPE SINGLE CYLINDER, 4-STROKE, 4-VALVE

BORE X STROKE (MM) 57.4 X 57.8

DISPLACEMENT (CC) 149.6 COMPRESSION RATIO 11.2:1

MAX. POWER 10.6KW @ 8,000RPM MAX. TORQUE 13NM @ 7,500RPM

FUEL SYSTEM EFI

STARTING SYSTEM ELECTRIC

IGNITION TRANSISTORIZED COIL

TRANSMISSION C.V.T

FRONT SUSPENSION TELESCOPIC FORKS

REAR SUSPENSION UNIT SWING

FRONT TYRE 120/70-R13, TUBELESS

REAR TYRE 130/70-R13, TUBELESS

FRONT & REAR BRAKE DISC, ABS

L X W X H (MM) 1,995 X 760 X 1,125

WHEELBASE (MM) 1,385 SEAT HEIGHT (MM) 800

GROUND CLEARANCE (MM) 125

CURB WEIGHT (KG) 144

FUEL TANK CAPACITY (L) 7.3



ENGINE 149.ECCSingle cylinder, 4-stroke, 4-valve

Front brake: 260mm
Rear brake: 233mm

COLOUR OPTIONS







 $^{{\}it *Specifications and features are subject to change without prior notice}.$

NAGA 155





SMART KEY SYSTEMEnsures safety with keyless, encrypted access.



FULL-COLOUR LED DIGITAL METERDelivers effortless readability at a glance.




Conveniently charge any device via Type-A and Type-C port.



UNDER-SEAT STORAGEDesigned to fit one full-face helmet plus added practically.



TELESCOPIC FRONT FORKS
90mm telescopic forks for stable handling.



LED HEADLIGHTSharp and bright snake pupil lights for safer night rides.



LED TAIL LIGHTEngineered for maximum visibility to keep you safe on the road.



REAR MONDSHOCKUnit swing ensures smoother rides, enhanced comfort and superior grip.



Provides extra width for improved stability and foot resting comfort.