

TT 150 CLASSIC



TT 150 CLASSIC

TECHNICAL SPECIFICATION

ENGINE TYPE	SINGLE CYLINDER, 4-STROKE
DISPLACEMENT (CC)	150
BORE x STROKE (MM)	57.3 x 57.9
MAXIMUM POWER	7.8 KW @ 7,500 RPM
MAXIMUM TORQUE	11.5 N.M @ 5,500 RPM
STARTING SYSTEM	ELECTRIC
IGNITION SYSTEM	ECU
COMPRESSION RATIO	9.1 : 1
TRANSMISSION TYPE	CHAIN
COOLING SYSTEM	AIR-COOLED
FUEL TANK CAPACITY (L)	11
CLUTCH TYPE	WET MULTI-PLATE
FRONT SUSPENSION	TELESCOPIC
REAR SUSPENSION	TELESCOPIC ADJUSTABLE MONOSHOCK
FRONT BRAKE	SINGLE DISC WITH 2-PISTON CALIPERS
REAR BRAKE	SINGLE DISC WITH SINGLE-PISTON CALIPER
FRONT TYRE	4.10-18
REAR TYRE	4.60-17
WHEEL / RIM TYPE	ALUMINIUM ALLOY
LENGTH x WEIGHT x HEIGHT (MM)	2,180 X 918 X 1,160
SEAT HEIGHT (MM)	840
WHEELBASE (MM)	1,400
GROUND CLEARANCE (MM)	300
DRY WEIGHT (KG)	130
GEAR SHIFTING TYPE	6-SPEED
FRONT / REAR WHEEL TYPE	DUAL-PURPOSE TYRE



MATT GREY



DARK GOLD



MATT BLACK

Distribute by



KTNS HOLDINGS SDN. BHD.

NO. 53 (GROUND FLOOR), LORONG PERDA SELATAN 1, BANDAR PERDA, 14000 BUKIT MERTAJAM, PULAU PINANG
TEL : 018-462 6267 | EMAIL: helpdesk@ktn.com.my

*Semua gambar rajah dan spesifikasi adalah tertakluk kepada perubahan tanpa notis.

TT 150 CLASSIC



CRASH BAR WITH ENGINE GUARD



COLOUR LCD DISPLAY



TELESCOPIC FRONT FORKS



TELESCOPIC ADJUSTABLE MONOSHOCK




SCRAMBLER-STYLE MUFFLER



ANTI-SLIP SEAT



11L FUEL TANK



150 CC, SINGLE CYLINDER, 4-STROKE ENGINE



LED HEADLIGHT



LED TAIL LIGHT