



Touch

As the benchmark for 250cc-class all-scenario comfort and control scooters, the TOUCH 250 adheres to the philosophy of "Instant Touch, All-Around Comfort," making both city commuting and short-distance touring a true pleasure.

The TOUCH 250 features a compact body balancing agility in narrow streets with stability on long rides. From power to detailed configurations, it follows the principle of "Utility First, Comfort Supreme." Its functions are centered around lowering the riding threshold and enhancing the experience, allowing both new riders and seasoned enthusiasts to easily master it and achieve their ideal commuting and touring feel.



TECHNICAL SPECIFICATION

ENGINE TYPE	SINGLE-CYLINDER, 4-STROKE, LIQUID-COOLED
DISPLACEMENT	249 CC
BORE × STROKE	69 × 66.7 MM
MAXIMUM POWER	16.5 KW @ 8,000 RPM
MAXIMUM TORQUE	23.5 N.M @ 5,000 RPM
STARTING SYSTEM	ELECTRIC
COMPRESSION RATIO	10.3:1
TRANSMISSION TYPE / FINAL DRIVE	BELT
FUEL TANK CAPACITY	13 L
FRONT SUSPENSION	TELESCOPIC FORK
REAR SUSPENSION	DUAL SHOCK ABSORBERS
FRONT BRAKE	SINGLE DISC
REAR BRAKE	SINGLE DISC
FRONT TYRE	110/80-13
REAR TYRE	130/70-13
LENGTH X WIDTH X HEIGHT	1950X790X1400
SEAT HEIGHT	760 MM
GROUND CLEARANCE	110 MM
CURB WEIGHT	147 KG
ANTI-LOCK BRAKING SYSTEM (ABS)	DUAL-CHANNEL
SPEEDOMETER TYPE	TFT DISPLAY
USB CHARGING PORT	TYPE-A & TYPE-C
LIGHTING	LED
FRONT AND UNDERSEAT STORAGE	AVAILABLE
TRACTION CONTROL SYSTEM (TCS)	AVAILABLE
DASHCAM	AVAILABLE (FRONT)



MATT BLACK



URBAN GREEN



PHANTOM GREY

*All figures and specifications are subject to change without prior notice.

Distributed by



MFORCE BIKE HOLDINGS SDN. BHD.(751410-H)

1485, Jalan Seruling, Kawasan Perindustrian Valdor, 14200 Sungai Jawi, Pulau Pinang, Malaysia.
Tel: 604-545 2222 | Fax: 604-545 2288 | Email: help@mforce.my



POWERED BY PETRONAS

High-Rigidity Lightweight Frame Precise Suspension

optimized, enhancing rigidity.

With a curb weight of only 147 kg, steering is light, making single-hand turns and tight U-turns easy. The front telescopic fork (80 mm travel) and rear dual shocks 80 mm travel makes the trip comfortable.

Crossing bumps or riding on unpaved roads results in a pleasant ride, transitioning from "easy to ride" to "comfortable to ride".



147kg



Dual Safety System for Confident Control

Standard features include Traction Control System (TCS) to prevent wheel spin on slippery roads or under hard acceleration. The front 260 mm large disc brake and rear 220 mm disc brake, paired with Dual-Channel ABS, ensure linear, non-locking braking. Emergency stops are stable without sliding, and riding under rain remains secure, transforming "easy control" into "peace of mind".

Dual Meters+ Mobile Connectivity Information at a Glance

The 6.75-inch full-color TFT display supports Bluetooth navigation mirroring, riding modes, and fuel consumption statistics. It remains clear in bright daylight and automatically dims at night.



Smart Keyless System

The proximity smart key automatically activates within 1.5 meters. Start the engine and open the storage, fuel tank. It automatically locks when you move away. Long-pressing button triggers a sound + hazard lights, simplifying the process



Ergonomic Design, Easy for Long Rides

1.The saddle uses soft memory foam + anti-slip, durable leather, with narrowed sides for easy ground contact.



Safety Visible at a Glance

The dual-headlight design features two LED light sources with a brightness of 1000 cd. It illuminates up to 160 meters clearly at night, with strong power in rain or fog, building a solid safety defense.